

: LIN, et al.

U.S. Serial No.: 10/648,081

ants

Filed : August 25, 2003

For : MODEL EPITHELIAL CELL CULTURES

Law Offices of Albert Wai-Kit Chan, LLC

World Plaza, Suite 604 141-07 20th Avenue Whitestone, NY 11357

December 02, 2003

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

J.

COMMUNICATION TO SUBMIT INFORMATION DISCLOSURE STATEMENT

In accordance with their duty of disclosure under 37 C.F.R. §1.56, Applicants would like to direct the Examiner's attention to the following references which are listed below as Exhibits 1-34 and on Forms PTO/SB/08B (Exhibit A). Applicants respectively request that these references be recorded in connection with the above-identified application.

The following references are attached:

- 1. Beltman, J.McCormick, F., and Cook, S. J. (1996) The selective protein kinase C inhibitor, Ro-31-8220, inhibits mitogen-activated protein kinase phosphatase-1 (MKP-1) expression, induces c-Jun expression, and activates Jun N-terminal kinase. J Biol Chem 271 (43): 27018-24 [Exhibit 1]
- 2. Engman, H.A., et al., CYP3A4, CYP3A5, and MDR1 in human small and large intestinal cell lines suitable

Filed : August 25, 2003

Page : 2

for drug transport studies. J Pharm Sci, 2001. 90(11): p. 1736-51 [Exhibit 2]

- 3. Frame and Cohen 2001. GSK3 takes centre stage more than 20 years after its discovery. Biochem. J. 359: 1-16 [Exhibit 3]
- 4. Freund et al. 1998. The cdx-1 and cdx-2 homeobox genes in the intestine. Biochem. Cell Biol. 76: 957-969 [Exhibit 4]
- 5. He, Y. L., S. Murby, et al. (1998). "Species differences in size discrimination in the paracellular pathway reflected by oral bioavailability of poly(ethylene glycol) peptides." J Pharm Sci 87(5): 626-33 [Exhibit 5]
- 6. Hilgendorf, C., et al., Caco-2 versus Caco-2/HT29-MTX co-cultured cell lines: permeabilities via diffusion, inside- and outside-directed carrier-mediated transport. J Pharm Sci, 2000. 89(1): p. 63-75 [Exhibit 6]
- 7. Homma, M., K. Oka, T. Yamada, T. Niitsuma, H. Ihto and N. Takahashi (1992). "A strategy for discovering biologically active compounds with high probability in Chinese herb remedies: An application of Saibokuto in bronchial asthma." Anal. Biochem. 202:179-187 [Exhibit 7]
- 8. Kawashima, K., K. Saito, A. Yamada, S. Obara, T. Ozaki and Y. Kano (1997). "Pharmacological properties of traditional medicines. XXIII. Searching for active compounds in the blood and bile

Filed : August 25, 2003

Page: 3

of rats after oral administrations of extracts of Sansohnin." Biol. Pharm. Bull. 20(11): 1171-4 [Exhibit 8]

- 9. Kim et al. 2002. PTEN and TNF-alpha regulation of the intestinal-specific cdx-2 homeobox gene through a PI3K, PKB/Akt, and NF-kB-dependent pathway. Gastroenterology 123: 1163-1178 [Exhibit 9]
- 10. Laprise et al. 2002. Phosphatidylinositol 3-kinase controls human intestinal epithelial cell differentiation by promoting adherens junction assembly and p38 MAPK activation. J. Biol. Chem. 277(10): 8226-8234 [Exhibit 10]
- 11. Lorentz et al 1999. Downregulation of the colon tumour-suppressor homeobox gene Cdx-2 by oncogenic ras. Oncogene 18: 87-92 [Exhibit 11]
- 12. Madara, J.L. and Trier, J.S. (1987) Functional morphology of the mucosa of the small intestine. In Physiology of the gastrointestinal tract, 2nd edition, ed. Johnson, L.R., Raven Press, New York [Exhibit 12]
- 13. Mariadason et al. 2000. Divergent phenotypic patterns and commitment to apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation. J Cell Physiol. 183: 347-54 [Exhibit 13]
- 14. Mariadason et al. 2001. Down-regulation of betacatenin TCF signaling is linked to colonic

Filed : August 25, 2003

Pag : 4

epithelial cell differentiation. Cancer Res. 61: 3465-3471 [Exhibit 14]

- 15. Moore, J.B. et al., Inhibition of PTH desensitization by inhibition of the G protein-coupled receptor kinase-5 enzyme with Ro 32-0432, FASEB J. Part II 12, A741 (1998) [Exhibit 15]
- 16. Morgan, J.F., H.J. Morton, and R.C. Parker,
 Nutrition of animal cells in tissue culture. I.
 Initial studies on a synthetic medium. Proceedings
 of the Society for Experimental Biology and
 Medicine, 1950. 73(1): p. 1-8. [Exhibit 16]
- 17. O'Loughlin, E.V., et al., Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes. Gut, 2001. 49(5): p. 636-43 [Exhibit 17]
- 18. Owens RB, Smith HS, Nelson-Rees WA, Springer EL.(1976) Epithelial cell cultures from normal and cancerous human tissues. J Natl Cancer Inst 56(4):843-9 [Exhibit 18]
- 19. Pang, G., et al., Immunologic, functional, and morphological characterization of three new human small intestinal epithelial cell lines.

 Gastroenterology, 1996. 111(1): p. 8-18 [Exhibit 19]
- 20. Pontier C, Pachot J, Botham R, Lenfant B, Arnaud P. (2001) HT29-MTX and CaCo-2/TC7 monolayers as predictive models for human intestinal absorption: role of the mucus layer. J Pharm Sci 90(10):1608-19 [Exhibit 20]

Filed : August 25, 2003

Page: 5

21. Quaroni A, Hochman J. (1996) Development of intestinal cell culture models for drug transport and metabolism studies. Adv Drug Del Rev 22:3-52 [Exhibit 21]

- 22. Rininger J.A.(2001) Utility of a Bioassay-Based Quality Standards Testing Program (BioFit) for Botanical Products in Examining The Science Behind Nutraceuticals. Proceedings of the AAPS Dietary Supplements Forum. P83-95 [Exhibit 22]
- 23. Sears et al. 2000. Multiple Ras-dependent phsophorylation pathways regulate Myc protein stability. Genes Dev. 14: 2501-2514 [Exhibit 23]
- 24. Siavoshian et al 2000. Butyrate and trichostatin A effects on the proliferation/differentiation of human intestinal epithelial cells: induction of cyclin D3 and p21 expression. Gut 46(4): p. 507-14)

 [Exhibit 24]
- 25. Soubeyran et al 2001. Homeobox gene cdx1 regulates ras, rho, and PI3 kinase pathways leading to transformation and tumorigenesis of intestinal epithelial cells. Oncogene 20: 4180-4187 [Exhibit 25]
- 26. Sun, D., H. Lennernas, et al. (2002). "Comparison of human duodenum and Caco-2 gene expression profiles for 12,000 gene sequences tags and correlation with permeability of 26 drugs." <u>Pharm Res</u> 19(10): 1400-16 [Exhibit 26]

Filed : August 25, 2003

Page: 6

27. Teoh DA, Kamieniecki D, Pang G, Buret AG. (2000) Giardia lamblia rearranges F-actin and alpha-actinin in human colonic and duodenal monolayers and reduces transepithelial electrical resistance. J Parasitol 86(4):800-6 [Exhibit 27]

- 28. Wang, et al. 2001. Inhibition of the phosphatidylinositol 3-kinase pathway contributes to HT29 and Caco-2 intestinal cell differentiation.

 Gastroenterology 120: 1381-1392 [Exhibit 28]
- 29. Wang, et al. 2002. Regulation of TRAIL expression by the phosphatidylinositol 3-kinase/Akt/GSK-3 pathway in human colon cancer cells. J. Bio. Chem. 277(39): 36602-36610 [Exhibit 29]
- 30. Watson, et al. 2001. Functional modeling of tight junctions in intestinal cell monolayers using polyethylene glycol oligomers. Am J Physiol Cell Physiol. 281: C388-C397 [Exhibit 30]
- 31. Van de Wetering et al. 2002. The beta-catenin/TCF-4 complex imposes a crypt progenitor phenotype on colorectal cancer cells. Cell 111: 241-250 [Exhibit 31]
- 32. Wiren, M., K.E. Magnusson, and J. Larsson, The role of glutamine, serum and energy factors in growth of enterocyte-like cell lines. Int J Biochem Cell Biol, 1998. 30(12): p. 1331-6 [Exhibit 32]
- 33. Yee, S. (1997). "In vitro permeability across Caco-2 cells (colonic) can predict in vivo (small

Filed : August 25, 2003

Page: 7

intestinal) absorption in man--fact or myth." Pharm Res 14(6): 763-6 [Exhibit 33]

34. Yu, AS (2000) Paracellular solute transport: more than just a leak? Curr. Opin. Nephrol. Hypertens. 9(5): 513-515 [Exhibit 34]

If a telephone interview would be of assistance in advancing prosecution of the subject application, Applicants' undersigned attorney invites the Examiner to telephone him at the number provided below.

No fee is deemed necessary in connection with the filing of this Information Disclosure Statement. However, if any fee is required, authorization is given to charge the amount of any such fee to Deposit Account No. 50-1891.

Respectfully submitted,

I hereby certify that this paper is being deposited this date with the U.S. Postal Service with sufficient postage for first class mail addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Albert Wai-Kit Chan Date
Reg. No. 36,479

Albert Wai-Kit Chan
Registration No. 36,479
Attorney for Applicants
Law Offices of
Albert Wai-Kit Chan, LLC
World Plaza, Suite 604
141-07 20th Avenue
Whitestone, New York 11357
Tel: (718) 357-8836

Tel: (718) 357-8836 Fax: (718) 357-8615

E-mail: kitchanlaw@aol.com

PTO/SB/08B (02-03)

Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitu	то 6716 11449/РТО			e required to respond to a collection of information unless it contains a valid OMB control number. Compl te if Known		
	4:			Application Numb r	10/648,081	
INF	ORMATION	DIS	CLOSURE	Filing Dat	August 25, 2003	
STA	TEMENT E	BY A	PPLICANT	First Nam d Inv nt r	LIN, et al.	
	(Use as many she	-4		Art Unit		
	(Use as many sne	ets as n	ecessary)	Examiner Name		
Sheet	1	of	4	Attorney Docket Number	784-A-US	

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	1	Beltman, J.McCormick, F., and Cook, S. J. (1996) The selective protein kinase C inhibitor, Ro-31-8220, inhibits mitogen-activated protein kinase phosphatase-1 (MKP-1) expression, induces c-Jun expression, and activates Jun N-terminal kinase. J Biol Chem 271 (43): 27018-24	
	2	Engman, H.A., et al., CYP3A4, CYP3A5, and MDR1 in human small and large intestinal cell lines suitable for drug transport studies. J Pharm Sci, 2001. 90(11): p. 1736-51	
	3	Frame and Cohen 2001. GSK3 takes centre stage more than 20 years after its discovery. Biochem. J. 359: 1-16	
	4	Freund et al. 1998. The cdx-1 and cdx-2 homeobox genes in the intestine. Biochem. Cell Biol. 76: 957-969	
	5	He, Y. L., S. Murby, et al. (1998). "Species differences in size discrimination in the paracellular pathway reflected by oral bioavailability of poly(ethylene glycol) and D-peptides." J Pharm Sci 87(5): 626-33.	
	6	Hilgendorf, C., et al., Caco-2 versus Caco-2/HT29-MTX co-cultured cell lines: permeabilities via diffusion, inside- and outside-directed carrier-mediated transport. J Pharm Sci, 2000. 89(1): p. 63-75	
	7	Homma, M., K. Oka, T. Yamada, T. Niitsuma, H. Ihto and N. Takahashi (1992). "A strategy for discovering biologically active compounds with high probability in Chinese herb remedies: An application of Saiboku-to in bronchial asthma." Anal. Biochem. 202:179-187	
	8	Kawashima, K., K. Saito, A. Yamada, S. Obara, T. Ozaki and Y. Kano (1997). "Pharmacological properties of traditional medicines. XXIII. Searching for active compounds in the blood and bile of rats after oral administrations of extracts of Sansohnin." Biol. Pharm. Bull. 20(11): 1171-4	
	9	Kim et al. 2002. PTEN and TNF-alpha regulation of the intestinal-specific cdx-2 homeobox gene through a PI3K, PKB/Akt, and NF-kB-dependent pathway. Gastroenterology 123: 1163-1178	
	10	Laprise et al. 2002. Phosphatidylinositol 3-kinase controls human intestinal epithelial cell differentiation by promoting adherens junction assembly and p38 MAPK activation. J. Biol. Chem. 277(10): 8226-8234	

Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

PTO/SB/08B (02-03) Approved for use through 04/30/2003. OMB 0651-0031

	to for form 1449/P		or or 1000, no persons ar	U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE or required to respond to a collection of information unless it contains a valid OMB control number. Compl t if Known		
Cabolita	-			Application Numb r	10/648,081	
INF	ORMATION	DIS	CLOSURE	Filing Dat	August 25, 2003	
STA	TEMENT E	BY A	PPLICANT	First Nam d Inv ntor	LIN, et al.	
	(Use as many she	ate se n	ococeany)	Art Unit		
	(Ose as many sne	CIS 63 11	ecessary)	Examiner Name		
Sheet	2	of	4	Attorney Docket Number	784-A-US	

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	11	Lorentz et al 1999. Downregulation of the colon tumour-suppressor homeobox gene Cdx-2 by oncogenic ras. Oncogene 18: 87-92	
	12	Madara, J.L. and Trier, J.S. (1987) Functional morphology of the mucosa of the small intestine. In Physiology of the gastrointestinal tract, 2nd edition, ed. Johnson, L.R., Raven Press, New York	
	13	Mariadason et al. 2000. Divergent phenotypic patterns and commitment to apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation. J Cell Physiol. 183: 347-54	
	14	Mariadason et al. 2001. Down-regulation of beta-catenin TCF signaling is linked to colonic epithelial cell differentiation. Cancer Res. 61: 3465-3471	
	15	Moore, J.B. et al., Inhibition of PTH desensitization by inhibition of the G protein-coupled receptor kinase-5 enzyme with Ro 32-0432, FASEB J. Part II 12, A741 (1998)	
	16	Morgan, J.F., H.J. Morton, and R.C. Parker, Nutrition of animal cells in tissue culture. I. Initial studies on a synthetic medium. Proceedings of the Society for Experimental Biology and Medicine, 1950. 73(1): p. 1-8	
	17	O'Loughlin, E.V., et al., Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes. Gut, 2001. 49(5): p. 636-43	
	18	Owens RB, Smith HS, Nelson-Rees WA, Springer EL.(1976) Epithelial cell cultures from normal and cancerous human tissues. J Natl Cancer Inst 56(4):843-9	
<u> </u>	19	Pang, G., et al., Immunologic, functional, and morphological characterization of three new human small intestinal epithelial cell lines. Gastroenterology, 1996. 111(1): p. 8-18	
	20	Pontier C, Pachot J, Botham R, Lenfant B, Arnaud P. (2001) HT29-MTX and CaCo-2/TC7 monolayers as predictive models for human intestinal absorption: role of the mucus layer. J Pharm Sci 90(10):1608-19	

Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicants unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, WashIngton, DC 20231.

Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Papework Reduction act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Compl te if Known

Applicati n Numb r 10/648,081

Filing Dat August 25, 2003

First Nam d Inventor LIN, et al.

Art Unit

Examiner Name

Attorney Docket Number

784-A-US

Sheet

13

of 4

			_
		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	21	Quaroni A, Hochman J. (1996) Development of intestinal cell culture models for drug transport and metabolism studies. Adv Drug Del Rev 22:3-52	
	22	Rininger J.A.(2001) Utility of a Bioassay-Based Quality Standards Testing Program (BioFit) for Botanical Products in Examining The Science Behind Nutraceuticals. Proceedings of the AAPS Dietary Supplements Forum. P83-95	
	23	Sears et al. 2000. Multiple Ras-dependent phsophorylation pathways regulate Myc protein stability. Genes Dev. 14: 2501-2514	
	24	Siavoshian et al 2000. Butyrate and trichostatin A effects on the proliferation/differentiation of human intestinal epithelial cells: induction of cyclin D3 and p21 expression. Gut 46(4): p. 507-14)	
	25	Soubeyran et al 2001. Homeobox gene cdx1 regulates ras, rho, and Pl3 kinase pathways leading to transformation and tumorigenesis of intestinal epithelial cells. Oncogene 20: 4180-4187	
	26	Sun, D., H. Lennernas, et al. (2002). "Comparison of human duodenum and Caco-2 gene expression profiles for 12,000 gene sequences tags and correlation with permeability of 26 drugs." Pharm Res 19(10): 1400-16	
	27	Teoh DA, Kamieniecki D, Pang G, Buret AG. (2000) Giardia lamblia rearranges F-actin and alpha-actinin in human colonic and duodenal monolayers and reduces transepithelial electrical resistance. J Parasitol 86(4):800-6	
	28	Wang, et al. 2001. Inhibition of the phosphatidylinositol 3-kinase pathway contributes to HT29 and Caco-2 intestinal cell differentiation. Gastroenterology 120: 1381-1392	
	29	Wang, et al. 2002. Regulation of TRAIL expression by the phosphatidylinositol 3-kinase/Akt/GSK-3 pathway in human colon cancer cells. J. Bio. Chem. 277(39): 36602-36610	
	30	Watson, et al. 2001. Functional modeling of tight junctions in intestinal cell monolayers using polyethylene glycol oligomers. Am J Physiol Cell Physiol. 281: C388-C397	
		I I	I

Examiner	Date
Signature	Considered

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231.

PTO/SB/08B (02-03)

Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Un	der the Paperwork ed	uction A	1995, no persons ai	e required to respond to a collection	of information unless it contains a valid OMB contri	ol number.	
Substitu	te for form 1449/PTO	-c478	7	Compl t if Known			
				Application Numb r	10/648,081		
INF	ORMATION	DIS	CLOSURE	Filing Date	August 25, 2003		
STA	TEMENT E	BY A	PPLICANT	First Named Invent r	LIN, et al.		
	(Use as many she	ate ae n	ecessary)	Art Unit			
	(OSO US Many She	013 03 11	ocessury ,	Examiner Name			
Sheet	4	of	4	Attorney Docket Number	784-A-US		

Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue	T ²
	1.0.	number(s), publisher, city and/or country where published.	T*
	31	Van de Wetering et al. 2002. The beta-catenin/TCF-4 complex imposes a crypt progenitor phenotype on colorectal cancer cells. Cell 111: 241-250	
	32	Wiren, M., K.E. Magnusson, and J. Larsson, The role of glutamine, serum and energy factors in growth of enterocyte-like cell lines. Int J Biochem Cell Biol, 1998. 30(12): p. 1331-6	
	33	Yee, S. (1997). "In vitro permeability across Caco-2 cells (colonic) can predict in vivo (small intestinal) absorption in manfact or myth." Pharm Res 14(6): 763-6	
	34	Yu, AS (2000) Paracellular solute transport: more than just a leak? Curr. Opin. Nephrol. Hypertens. 9(5): 513-515	

Examiner	Date	
Signature	Considered	
A=1/0.4 (1) (2)		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.